



Section No	A	B	T1	T2	R1	R2	Mass kg/m	OUTSIDE PERM
0287	50.8	25.4	3.18	3.18	1.57		0.82	195.5
0500	50.8	34.93	3.18	3.18	1.57		0.984	233.6
8216	53	25	1.5	1.5			0.405	203
6330	54	20	1.5	1.5			0.369	185
0504	57.15	31.75	3.96	3.96	5.08		1.235	229
3911	57.15	31.75	4.75	4.75	3.18		1.437	229.1
G743	60	12	3	3			0.634	161.48
6128	60	25	3	3			0.842	214
35320	60	32	2	2			0.65	244
34080	60	32	2	2	5	3	0.629	235.85
J243	60	32	3	3			0.96	242
6945	60	32	4	4	4		1.257	238.2
32884	65	27	3	3			0.919	232
35270	65.5	25	1.5	1.5	0.4		0.456	226.37
3625	69.85	31.75	3.96	3.96			1.346	258.8
30487	75	25	3	3			0.967	244
6207	76	33	6	8			2.397	272
4578	76	51	5	5			2.268	346
0288	76.2	38.1	4.75	4.75	7.62		1.9	288.8
1226	76.2	38.1	6.35	7.92			2.668	288.73
0289	76.2	38.1	6.35	7.92	7.62		2.738	285.6
6983	80	25	3	3			1.008	254
J458	80	40	3	3			1.252	314
Z608	80	40	4	4			1.648	312
4073	82.55	31.75	3.18	3.18			1.199	285.7
X685*	84.2	20	1.6	1.6			0.525	245.2
0290	88.9	38.1	6.35	7.92	7.92		2.955	310.7
34400	92.07	25.4	1.5	2.5	2.5	1.27	0.803	276.22
7792	92.3	25	3	1.8	2		0.967	274.48
X684*	92.75	15	1.6	1.6			0.518	242.3
8716	100	25	3	3			1.166	294
6374	100	40	3	3			1.409	354
6944	100	45	4.8	4.8	3		2.347	352.4
J089	100	50	3	3			1.577	394
6982	100	50	6	6	0.8		3.046	387
33279	100	50	8	4			4.008	380.57
34143	100	70	4	4	10	6	2.403	451.4
1605	101.6	25.4	3.18	3.18			1.253	298.4
1340	101.6	50.8	4.78	4.78			2.499	396.8
0291	101.6	50.8	6.35	7.92	9.14		3.74	385.9
1442	114.3	44.45	3.18	3.18			1.69	400
34401	117.47	25.4	1.5	2.5	2.5	1.27	0.975	327.02
7793	118	25	3	1.8	2		1.176	325.88
7059	125	60	6	6	6		3.816	454
0921	127	25.4	3.96	3.96	1.57		1.819	346.3
K430	127	63.5	6.35	9.52	10.66		5.267	486.1
8596	135	55	3	3	1		1.944	483.14
4760	150	75	5	5			3.915	590
1652	152.4	63.5	6.35	7.92	10.67		5.193	536.9
1018	152.4	76.2	6.35	9.53	12.19		6.38	586.4
32963	155	15	1.6	1.6	0.5		0.788	365.6
33270	160	60	10	10	10		7.162	531.42
35327	168.27	25	1.5	1.5	1.25	1.25	1.314	426.49
7060	177.8	76.2	6.35	11.1	12.2		7.408	637.2
2776	203.2	63.5	4.75	4.75			4.113	650.9