



Section No	A	B	T	R	Periphery mm	Mass kg/m
* 5514	20	12	1.6		64	0.132
* 5970	20	12	3		64	0.235
* 9325	25	12	1.5		74	0.144
* 5511	25	20	1.6		90	0.188
J074	25	20	3		90	0.341
5931	30	25	2		108	0.286
0460	32	19	3		102	0.388
* 9328	32	20	1.5		104	0.205
5974	32	25	3		114	0.437
7084	40	12	1.5		104	0.205
* 9329	40	20	1.5		120	0.237
* 6076	40	20	3		120	0.462
* 5509	40	25	1.6		130	0.275
* 8517	40	25	3		130	0.502
* J456	50	20	1.6		140	0.278
31043	50	20	3		140	0.544
* 9332	50	25	1.5		150	0.298
* 5323	50	25	3		150	0.583
31232	50	30	1.6		160	0.34
F4357	50	38	5		176	1.125
9753	60	25	3		170	0.664
6428	70	25	1.6		190	0.403
* Z965	70	40	1.6		220	0.47
* 30193	75	25	3		200	0.789
6788	75	50	3		250	0.988
F9137	75	50	6		250	1.935
1658	76.2	50.8	4.75	6.86	251	1.592
8266	100	25	3		250	0.988
30641	100	50	3		300	1.195
E927	100	50	6		300	2.341
F9576	150	75	8		449	4.687
8713	150	120	10	10	520	7.077

* stock in mill, anodised & powdercoated finishes. subject to stock availability at time of order.

* stock in mill, powdercoated titania. subject to stock availability at time of order.