



R&B ALUMINIUM LTD

**STOCKLIST &
STANDARD
ALUMINIUM
SECTIONS
CATALOGUE**

12th Issue Feb 2015

We would like to introduce our company to you - R&B Aluminium Ltd is an independent 100% New Zealand owned company located in Penrose, Auckland, involved in the distribution of Standard Aluminium Extrusions, Sheet, Plate, Coil, Security Mesh and Lockwood/Whitco Hardware.



With the in depth knowledge we have of the aluminium industry, we offer a high quality service and supply deal for you requirements, for both new extrusions to your specific design and for metal ex stock.

Our individual aluminium experience includes working in the production side of sheet, foil, surface finishing and extrusion plants, involvement in the technical department and remelt facility for those plants and in the sourcing and distribution of many types of locally produced and imported aluminium.

We have a combined total of over 75 years experience between us in the industry. We look forward to doing business with you.

A handwritten signature in black ink, appearing to read 'Glenn Root'.

Glenn Root

A handwritten signature in black ink, appearing to read 'Arthur Burns'.

Arthur Burns

**Stocklist and Standard
Aluminium Sections Catalogue
General Information and Services..... 1
Introduction to Aluminium.....2
Ex Stock Extrusions**

- Equal Angles 3
- Unequal Angles 4
- Zeds 4
- Flat Bars 5
- Channels 6
- Round Tubes 7
- Square Hollows 8
- Rectangular Hollows 9
- Square Bar 10
- Tees 10
- Rod 10
- Cool Room Sections 11 - 17
- Awning Sections 18
- Mouldings 18
- Commercial doors 19 - 21
- Shopfront - 75mm 22 - 23
- Shopfront - 100mm 24 - 25
- Internal Glazing Sections 26
- Window Support Bar, Flashing..... 27
- Tophats, Louvre, Spandrel..... 28
- Sign Case Extrusions 29
- Track / Guide..... 29
- Montage of Security / Insert Screen Sections..... 30 - 33
- Mesh..... 34
- Wardrobe Suite 35
- Retrofit Double Glazing Sections..... 36
- Retro Fit Applications..... 37
- Sheet and Treadplate 38
- Surface Finished Extrusion..... 39 - 42



General Information and Services

R&B Aluminium Ltd Contact Details

Auckland:

731 Great South Road, Penrose, Auckland, 1061 New Zealand
Box 13 130, Onehunga 1643
Phone: 0064 9 525 3404 Fax: 0064 9 526 3749
Email: sales@randbali.co.nz
Website: www.randbali.co.nz

Auckland North Shore:

Unit 2/8 Target Court, Glenfield, Auckland, 0627 New Zealand
Phone: 0064 9 526 3745
Email: northshore@randbali.co.nz

Wellington:

44 Pharazyn Street, Melling, Lower Hutt, Wellington 5010
Box 39259, Wellington Mail Centre 5045
Phone: 0064 4 569 5050 Fax: 0064 4 569 5060
Email: wellington@randbali.co.nz

Christchurch:

19A Dakota Crescent, Wigram, Christchurch 8042
PO Box 16755, Hornby, Christchurch 8441
Phone 0064 3 343 9922 Fax 0064 3 343 9932
Email christchurch@randbali.co.nz



R&B Aluminium Ltd Services

Supply of ex stock and ex mill quantities of standard shape aluminium extrusions as per this catalogue in mill finish (Powdercoating or anodising can be provided subject to minimum charges). Some stock is carried surface finished, subject to enquiry.

Supply of mill quantities of extrusions to your own design, in mill finish or surface coated condition - some fabrication services are available if required (precision cutting, drilling, tapping, assembly, packaging etc.).

Supply of oversized extrusions that are outside the production capability of New Zealand extruders.

Important - Please Note

Items offered from stock are shown in these pages - **Specifiers** should **check ongoing availability with R&B Aluminium Ltd**. Most stock is carried in 5 metre lengths, in alloy 6060. Temper T5. Our range is constantly being added to - sometimes slow moving items are dropped. We are happy to consider adding stocklines based on your need if volumes can support this. Some stock may be held in different branches.

Mill Quantities

If you divide 150kg by the mass shown for a section number you will obtain the approximate number of metres required for a minimum mill run. For example for section 9433, a rectangular hollow 50 x 25mm with a 3mm wall thickness:

$$\text{Minimum mill run} = \frac{150(\text{kg})}{1.118(\text{kg/m})} = 134.17 \text{ metres}$$

Mill runs require a leadtime of 2 to 3 weeks for mill finish from existing dies and are subject to a shipping tolerance of +/- 10% approximately.

If you cannot find a shape you want, ask us! New shapes are continually added to the range or we may know of a suitable alternative.

Introduction to Aluminium



Aluminium is the third most abundant element in the earth's crust, always found locked in combination with other elements. It was not isolated in metallic form until early in the nineteenth century, with commercial production being made possible by the independent discovery in 1886 by Charles Hall (USA) and Paul Heroult (France) of an economical way to separate the metal from alumina (aluminium oxide).

Since then, Aluminium has increasingly entered our lives and we now extensively utilise the advantage offered by its diverse, yet complementary properties.

These are:

Lightness	One third the weight of steel.
Corrosion Resistant	Naturally protected by a thin self-protective film that is colourless, nontoxic and doesn't flake off. Properly applied paint finishes adhere extremely well and if penetrated there is no rust produced to cause blistering or flaking of the paint.
High Heat conductivity	Weight for Weight, aluminium's conductivity is: 1.8 times that of Copper 12 times that of Rolled Steel 40 times that of Stainless Steel
High electrical Conductivity	Weight for weight, twice that of Copper.
Appearance	Without special protection, aluminium is a 'clean' material. Anodising, painting and texturing confer decorative appearances that retain aluminium's natural durability.
Other Properties	Non sparking Non magnetic High reflectivity Easily worked and shaped High scrap value - recyclable







Section No	A	T	R	Periphery mm	Mass kg/m
* 6421	12	1.6		48	0.1
5968	12	3		48	0.17
* G466	16	1.6		64	0.132
* 5512	20	1.6		80	0.167
* 5972	20	3		80	0.3
* 5510	25	1.6		100	0.21
* 5973	25	3		100	0.381
* F9125	30	3		120	0.463
F9127	30	6		120	0.875
* K014	32	1.5		128	0.254
+ RB041	38	1.5	page 11	149	0.306
+ RB042	38	1.5	page 11	152	0.311
* 5975	40	1.6		160	0.339
5976	40	3		160	0.624
9530	40	6		160	1.199
+ F4586	50	1.5	page 11	197	0.399
+ F4593	50	1.5	page 11	200	0.404
* 6484	50	1.6		200	0.425
* 5977	50	3		200	0.786
F9632	50	4.5		199	1.16
8518	50	6		200	1.523
9743	60	3		237	0.948
9780	60	6		240	1.847
30543	75	6		299	2.341
5009	76.2	3		305	1.21
5424	76.2	9		305	3.485
F9147	100	6		400	3.154

* stock in mill, anodised & powdercoated finishes.
subject to stock availability at time of order.


+ Stock in Cool Room Sections

+ RB 041 is a 92.5° internal corner angle with 2.0mm thick leg tips
RB 042 is a 87° external corner angle with 2.0mm thick leg tips
F4586 is a 92° internal corner angle with 2.0mm thick leg tips
F4593 is a 87° external corner angle with 2.0mm thick leg tips




Section No	A	B	T	R	Periphery mm	Mass kg/m
* 5514	20	12	1.6		64	0.132
* 5970	20	12	3		64	0.235
* 9325	25	12	1.5		74	0.144
* 5511	25	20	1.6		90	0.188
J074	25	20	3		90	0.341
5931	30	25	2		108	0.286
0460	32	19	3		102	0.388
* 9328	32	20	1.5		104	0.205
5974	32	25	3		114	0.437
7084	40	12	1.5		104	0.205
* 9329	40	20	1.5		120	0.237
* 6076	40	20	3		120	0.462
* 5509	40	25	1.6		130	0.275
* 8517	40	25	3		130	0.502
* J456	50	20	1.6		140	0.278
31043	50	20	3		140	0.544
* 9332	50	25	1.5		150	0.298
* 5323	50	25	3		150	0.583
31232	50	30	1.6		160	0.34
F4357	50	38	5		176	1.125
9753	60	25	3		170	0.664
6428	70	25	1.6		190	0.403
* Z965	70	40	1.6		220	0.47
* 30193	75	25	3		200	0.789
6788	75	50	3		250	0.988
F9137	75	50	6		250	1.935
1658	76.2	50.8	4.75	6.86	251	1.592
8266	100	25	3		250	0.988
30641	100	50	3		300	1.195
E927	100	50	6		300	2.341
F9576	150	75	8		449	4.687
8713	150	120	10	10	520	7.077

* stock in mill, anodised & powdercoated finishes. subject to stock availability at time of order.



Section No	A	B	C	T	Periphery mm	Mass kg/m
* N974	18.5	17	18.5	1.4	103.9	0.193
* Z980	20	25	20	1.6	127	0.252
0580	25.4	44.45	25.4	3.18	182	0.776
F9231	25	30	25	3	127	0.602



* stock in mill, powdercoated titania. subject to stock availability at time of order.



Section No	A	B	Corner Radius	Periphery mm	Mass kg/m
DY007	10	3		26	0.081
J791	12	3		30	0.097
9741	12	6		36	0.194
142	12.5	4.5		33	0.146
* 5991	16	3		38	0.13
C001	19.05	2.64	1.32	49	0.65
0632	19.05	3.962	1.98	46	0.195
* 5992	20	3		46	0.162
9336	25	1.6		53	0.108
* 5993	25	3		56	0.203
5996	25	6		62	0.405
* F1504	25	10.00	5.0	61	0.619
5999	25	12		74	0.81
0340	25.4	4.75		60	0.326
9337	32	3		70	0.259
#4996 WEL	38	6		88	0.616
6077	40	3		86	0.324
6706	40	6		92	0.648
7426	40	10		100	1.080
J425	40	16		112	1.734
1864	44.45	3.18		96	0.384
K024	47.65	1.42		98	0.184
* 5994	50	3		106	0.405
5997	50	6		112	0.81
F9447	50	8		116	1.084
7425	50	10		120	1.35
#6000 WEL	50	12		124	1.62
4978	50	25	1.6	150	3.388
B504	50.8	4.5		110	0.619
J403	60	3		126	0.488
8776	60	6		132	0.972
F9061	75	3		158.4	0.62
F9063	75	6		162	1.22
F9064	75	10		170	2.048
7040	80	6		172	1.296
* 5995	100	3		206	0.81
Z120	100	5		210	1.36
5998	100	6		212	1.626
8333	100	10		220	2.7
E301	125	6		262	2.033
K145	150	3		306	1.22
F9391	150	5		310	2.033
9608	160	10		340	4.32

* stock in mill, anodised satin.
subject to stock availability at
time of order.

Stock in our Wellington and
Christchurch branches only.
Wellington 1-2 working day
delivery
Christchurch 3 working days
delivery



Section No	A	B	T1	T2	R	Periphery mm	Mass kg/m
J168	10	10	1.6	1.6		57	0.116
* 5978	12	12	1.6	1.6		68.8	0.142
* 0371	12.7	12.7	2.54	2.54		71	0.226
+ X075	14.5	17.95	1.2	1.2	page31	97	0.162
YLJ02571	15	18	1.6	1.6	Note 3	99	0.209
* 5979	16	16	1.6	1.6		92.8	0.194
31017	17	17	1.5	1.5		63	0.17
*YLJ02561	17.6	18.4	1.8	1.8	Note 2	103	0.257
* G862	17.9	18	1.9	1.9	Note 1	102.6	0.257
YLJ02511	18	25	2	2	Note 2	132	0.349
* 5980	20	20	3	3		114	0.437
3470	22.23	12.7	1.57	1.57		92	0.19
* 9335	25	25	1.6	1.6		146.8	0.31
* 4575	25	25	3	3		144	0.559
* 6476	25	40	3	3		204	0.801
* 4087	25	50	3	3		248	1.036
1770	28.58	6.35	1.57	1.57		179	0.161
J088	32	25	3	3		158	0.618
G210	36	36	2.5	2.5		211	0.698
F9531	38	38	3	3		220	0.876
* F9354	40	12	3	3		122	0.472
9677	40	20	1.6	1.6		157	0.332
5982	40	20	3	3		154	0.599
* 6452	40	25	3	3		174	0.68
+31365CHC	40	30/12	1.6	1.6	oddleg	162	0.34
2114	44.5	25	3	3		183	0.717
5983	50	25	3	3		194	0.761
5984	50	50	3	3		294	1.166
+ 8570	51	30	1.5	1.5	page13	227	0.501
+ RB069	53.2	25	1.2	1.2	page11	205	0.328
+ 6330	54	20	1.5	1.5	page12	185	0.369
+ 31348	54	30/45	1.5	1.5	oddleg	255	0.55
+ RB043	55.6	30	1.5	2.3	page12	227	0.504
6330	54	20	1.5	1.5		185	0.369
G743	60	12	3	3		162	0.634
6945	60	32	4	4	4	238	1.257
30487	75	25	3	3		244	0.967
+ K747	78	38	1.5	1.5	page13	305	0.61
+ 31347	79	45/30	1.5	1.5	oddleg	304	0.614
#J458 WEL	80	40	3	3		314	1.252
+ RB301	89	25	1.5	1.5	page11	281	0.569
+ Z381	92	25	2.5	1.5	page15	279	0.769
8716	100	25	3	3		294	1.166
J089	100	50	3	3		394	1.577
6982	100	50	6	6		387	3.046
+ K748	103	38	1.5	1.5	page13	355	0.712
+ RB206	103.2	25	1.6	1.6	page11	301	0.654
+ 31346	104	45/30	1.5	1.5	oddleg	355	0.714
+ Z383	117	25	2.5	1.5	page15	328	0.953
F9783	150	75	3.5	3.5		592	2.768
4760	150	75	5	5		590	3.915
90229A	152.4	88.9	9.5	12.7	11.1	635	9.532
+ E210	160.2	38.5	2	2.3	page13	463	1.245
+ Z382	168	25	2.5	1.5	page15	428	1.326

Note 1: stocked in 2.9m lengths and carried in bright anodised finish.


Note 2: stocked in 2.1m/2.5m/3.0m lengths and carried in bright anodised finish only.

Note 3: stocked in 2.5m lengths and carried in bright anodised finish only.

* stock in mill, anodised & powdercoated finishes.

Stock in our Wellington branch, only (1-2 working day delivery).

+ Stock in Cool Room Sections may have V - grooves. Refer to drawings in coolroom tab.




Section No	O.D.	W.T.	Periphery mm	Mass kg/m
- RB-015	9.52	0.91	39	0.067
##TU8090 CHCH	9.53	1.42	60	0.098
- KKE36180	12.7	0.91	50.8	0.54
-JH0629/Anodised	12.7	1.00	39.9	0.094
TU8110	12.7	1.42	39.9	0.136
TU8120	15.88	1.42	50	0.174
TU8530	15.88	2.64	50	0.297
-RB-014/Anodised	19.05	1.01	76.2	0.156
TU8030	19.05	1.22	60	0.185
TU8140	19.05	1.42	60	0.204
TU8150	22.2	1.4	70	0.247
TU8240	20	1.6	62.8	0.251
#TU8290 WEL	22.23	1.63	70	0.284
TU8440	25	2	79	0.39
TU8575	25	3	79	0.562
TU8040	25.4	1.22	80	0.25
RB-013	25.4	1.01	80	0.191
TU8160	25.4	1.42	80	0.29
#TU8050 WEL	28.58	1.22	90	0.284
TU8170	28.58	1.42	63	0.327
TU8180	31.75	1.42	99	0.366
TU8601	32	3	120	0.741
TU8190	38.1	1.42	119.7	0.443
TU8610	38.1	3	120	0.896
TU8441	40	2	126	0.647
TU8615	40	3	125.66	0.942
TU8620	44.45	3	139	1.059
TU8780	48.41	4.47	152	1.666
JH0656	48.6	3.35	154	1.297
TU8443	50	2	157	0.817
TU8630	50	3	157.1	1.196
#TU8650 WEL	57	3	179	1.374
TU8446	60	2	189	0.988
YLJ02550	62.5	3	300	1.531
TU8720	63.5	3.25	200	1.661
JH0773	63.5	6	199.5	2.959
Y63A	63.5	9	200	4.207
JH0682	63.5	10.3	200	4.7
TU8520	76.2	2.03	239	1.277
TU8730	75	3	235.65	1.839
Y76C	76.2	6	239	3.613
TU8655	100	3	314.16	2.478
~ 70292	100	6.5	314.16	5.4
~ 950-447	120	1.6	377	1.613
~ F2209	127	3.25	399	3.424

~ Subject to stock availability at time of order.

Stock in our Wellington branch only (1-2 working days delivery).

Stock in our Christchurch branch only (3-4 working days delivery).


- Destock items, not to be replaced on stock when sold



Section No	A	T	R1	R2	Periphery mm	Mass kg/m
9609	12.7	1.6			51	0.189
30211	16	1.2	1.6		61	0.187
5728	19	1.6	2.4	0.8	76	0.301
RB-016	19.7	1.00			78.80	0.204
8950	20	1.5			80	0.3
8777	20	3	3		74.8	0.530
9675	25	1.4	2.4	1	96	0.344
* 6614	25	1.6			100	0.404
N285	25	1.8	3		94.85	0.432
9784	25	3			100	0.713
* 6947	30	3			120	0.875
K362	32	2			128	0.65
K026	38	1.6	2	0.4	148	0.623
K911	40	1.6			160	0.666
G097	40	2			160	0.824
30196	40	2	2.4		160	0.81
X592	40	3			160	1.203
N737	40	3	3	1	160	1.185
1468	44.45	2.03			178	0.93
* J309	50	1.6			200	0.84
* 5917	50	3			200	1.523
32565	50	3	3		195	1.51
32734	50	5	4	2	193	2.411
X548	50.8	2.03	3		203	1.023
Z912	60	1.4	1	0.3	240	0.887
K308	65	2.5			260	1.694
F1942	75	1.6			298	1.275
K323	75	3			300	2.341
Z320	100	3			400	3.154
F9577	100	5			399	5.13
~4059-475	101.6	4.75	4.75		399	4.987
~ 40315	150	3			600	4.78

* stock in mill & anodised satin.

~ subject to stock availability at time of order.



Section No	A	B	T	R1	R2	Periphery mm	Mass kg/m
F9348	20	10	2			60	0.282
K496	37.4	14.4	1.2	3	2	98	0.308
9406	38	25	1.5	3	1.5	121	0.47
X510	38	25	2	3	1.5	121	0.622
30486	40	20	1.6			120	0.493
30485	40	20	3			120	0.878
K582	40	25	2			130	0.661
E905	50	25	1.6			150	0.623
9433	50	25	3			150	1.118
X544	50	25	3	3		145	1.101
RB-142	50	38	2	3		171	0.9
30497	50	40	2			180	0.932
G705	50	40	3			180	1.366
C914 CHC	50.8	38.1	3.18			178	1.417
J090	60	40	3			200	1.528
JMFG0087	60	40	3	4		200	0.3056
Z357	65	16	1.2	1.5	1	159.42	0.508
F9503	65	30	2.5			190	1.22
7652	70	40	3			220	1.691
RB-229	75	25	2.2	1.5		197	1.148
30837	75	40	2			229	1.203
K910	80	40	3			240	1.854
6490	80	50	3			260	2.008
F9691	80	50	3	3		255	1.995
6669	100	25	2.5			250	1.62
7955	100	45	3			290	2.252
J845	100	50	2			300	1.583
9985	100	50	3			300	2.341
30752	100	50	3	4	1	293	2.307
F9455	100	50	6			300	4.471
G589	125	40	3			330	2.585
J863	150	50	3			400	3.154
~YLJ02570	200	50	2.5			500	3.344
Z335	200	50	3			500	3.96
~ 1657	250	50	2			600	3.196
4480	300	50	3			700	6.507

~ Subject to stock availability at time of order.

Stock in our Wellington and Christchurch branches only.

Wellington 1-2 working day delivery

Christchurch 3 working days delivery

Stocked Sections

(SQB) Squares




* stock in anodised satin

Section No	A/F	Periphery mm	Mass kg/m
SQ0064	6.3	25	0.109
SQ0095	9.53	38	0.243
SQ0127	12.7	51	0.435
F3298	16	64	0.691
SQ0190	19.05	76	0.98
SQ0254	25.4	102	1.741
F3425	38.1	152	3.934
SQ01400	88.9	356	21.418

Stocked Sections

(TEE) Tee Sections




* stock in mill & anodised satin.
subject to stock availability at time of order.

Section No	A	B	T	R	Periphery mm	Mass kg/m
5985	20	20	1.6		80	1.166
0410	20.62	13.46	1.6		66	0.186
5987	25	25	1.6		100	0.211
* 4870	25	25	3		100	0.382
F4709	38.1	38.1	1.6		152	0.323
5988	40	40	3		160	0.624
0637	44.45	25.4	2.54		136	0.456
F9218	50	50	3		200	0.789
X553	50	50	4		200	1.041
F9457	50	50	6		200	1.528
1184	50.8	50.8	4.75	6.1	193	1.285
1478	63.5	63.5	6.35		248	2.123
32266	75	106	6		361	2.847
32267	100	150	8		499	5.247

Stocked Sections


(RDD) Rod




Stock in our Wellington branch, only (1-2 working day delivery).

Section No	DIA	Periphery mm	Mass kg/m
RD0063	6.3	20	0.086
RB-048	7.75	25	0.131
RD0095	9.53	30	0.193
RD0111	11.1	40	0.263
RD0127	12.7	40	0.342
RD0159	15.88	50	0.537
RD0190	19.05	60	0.769
RD0254	25.4	80	1.375
RD0317	31.75	100	2.138
RD0349	34.93	110	2.587
RD0381	38.1	120	3.078
RD0413	41.3	123	3.63
RD0508	50.8	123	5.561
70255	63.5	200	8.582
70239	88.9	279	16.821
RD1016	101.6	319	21.97


Note: All Rods subject to stock availability at time of order




* Section No. RB042
38mm External Angle
0.311 kg/m, per 152




* Section No. RB-041
38mm Internal Angle
0.306 kg/m, per 149




* Section No. 33970 / RB-139
0.690 kg/m, per 219.00




* Section No. RB-069
51mm Cool Room Channel
0.328 kg/m, per 205




* Section No. F4586 / RB -160
50mm Internal Angle
0.399 kg/m, per 197




* Section No. F4593 / RB - 161
50mm External Angle
0.404 kg/m, per 200




* Section No. RB-206
100mm Channel
0.654 kg/m, per 301



* Section No. RB-207
75mm Cool Room Base Channel
0.545 kg/m, per 251




* Section No. RB-301
90mm Channel
0.569 kg/m, per 281




* Section No. 9055 A
50mm Corner Joints
0.877 kg/m, per 470


* stock in mill & powdercoated titania. subject to stock availability at time of order.




* Section No. RB043/8570, 51mm Cool Room Channel
0.504kg/m, per 227




* Section No. RB472
50mm Channel (3mm Wall)
0.670 kg/m, per 220




* Section No. F4709
38mm Tee Joints
0.323 kg/m, per 151




* Section No. 31346
100mm Cool Room Base Channel
0.714kg/m, per 355



* Section No. 31348
50mm Cool Room Base Channel
0.55kg/m, per 255




* Section No. 31347
75mm Cool Room Base Channel
0.614kg/m, per 304




Section No. 6330
51mm Cool Room Channel
0.369 kg/m, per 185


* stock in mill & powdercoated titania. subject to stock availability at time of order.



* Section No. K747
75mm Cool Room
Base Channel
0.610 kg/m, per 305




* Section No. K748
100mm Cool Room
Base Channel
0.712 kg/m, per 355




* Section No. E210
150mm Cool Room
Base Channel
1.245 kg/m, per 463


* stock in mill & powdercoated titania. subject to stock availability at time of order.




Section No. 33144 / RB342
Cool Room Sliding Door Track
2.552kg/m, per 451




Section No. 612515
Toe Rail
0.906kg/m, per 310



Section No. 31365 CHC
Odd-Leg Channel
0.340kg/m, per 162




Section No. RB-325
Bottom Door Guide
1040 kg/m, per 368








Section No. 8543 CHCH / RB475
Door Runner
2.706kg/m, per 437

Stock in Christchurch branches only (3 working days delivery).
* stock in mill & powdercoated titania. subject to stock availability at time of order.




* stock in mill & powdercoated titania. subject to stock availability at time of order.




Section No.40374
Bulb seal


* stock in mill & powdercoated titania. subject to stock availability at time of order.



Section No. G902 / RB-343
100mm I Beam
1.078kg/m, per 445



Section No. 31753 / RB-344
50mm I Beam
0.648kg/m, per 312



Section No. RB-141 / G307
External Door Jamb (Long Leg)
0.805kg/m, per 302




Section No.429
Bulb seal for
Section RB-141



Stocked Sections


Miscellaneous

AWN




Section No. N0111
0.305 kg/m, per 100

AWN




* Section No. 6595
0.228 kg/m, per 95



* Section No. N03490
0.191 kg/m, per 102

AWN




Section No. YLJ02518
0.428 kg/m, per 193

* Stock in P/C white, matt black, anodised satin & mill finish




Stocked Sections


(MLD) Mouldings




* Section No. KD 482
Draw Pull
0.363 kg/m, per 175



* Section No. F9540
Plate Cap
0.172 kg/m, per 73




* Section No. F9542
Perspex Cap
0.250 kg/m, per 95




Section No. XGJ-136
Drip Mold
0.20 kg/m, per 50.29




~ Section No. 593
Cap
0.243 kg/m, per 70




~ Section No. 594
Internal Corner
0.421 kg/m, per 109




~ Section No. 595
External Corner
0.392 kg/m, per 100




~ Section No. 592
Division Bar
0.357 kg/m, per 93



Section No. N592
Pellet Planking
1.607 kg/m, per 310




* Section No. 0360
Stair Nosing
0.504 kg/m, per 154




Section No. 9207
Ladder Rung
0.417 kg/m, per 97

- * Stock anodised satin & mill finish
- # Supplied in bright polish & 2.25 mtr length
- ~ Supplied in 2.7 mtr length


Not to Scale



* Section No. 5584 Head Guide
0.987 kg/m, per 340




* Section No. 8164
Bottom/Top Rail
2.232 kg/m, per 410




* Section No. 5653
Square Bead
0.166 kg/m, per 98


* Section No. G249 Lock Stile
1.51 kg/m, per 331




* Section No. 8163 Top Rail
1.732 kg/m, per 292




* Section No. 8165
Wide Vision Rail
2.285 kg/m, per 363



* Section No. G250 Hinge Stile
1.47 kg/m, per 286




* Section No. 6350 Door Track
0.518 kg/m, per 127



* Section No. 8167 Infil
0.140 kg/m, per 85

* Stock in mill finish & anodised satin. Subject to stock availability at time of order.



Not to Scale




Section No. 6100
Beadable Vision Rail
1.961kg/m, per 313



Section No. 6096
Round Edge Door Bead
0.130kg/m, per 88




Section No. 8166
Beadable Lock Stile
1.325kg/m, per 260




Section No. 9987 CHC
Door Stile
1.617kg/m, per 268.10


Section No. 31855 CHC
Double Glazing Door Bead
0.095kg/m, per 52.88




Section No. 5622
1.299 kg/m, per 215




Section No. 31882 CHC
Door Rail
2.072kg/m, per 384.15



Section No. 32277
Seismic Channel
1.124kg/m, per 479.90




Section No. 32278 CHC
Seismic Bead
0.324kg/m, per 150.88




Section No. 33143 CHC
Door Stile
1.626kg/m, per 247.85

* Stock in mill finish & anodised satin. Subject to stock availability at time of order.


No. 9987, 31855, 31882, 32278 and 33143, Stock in Christchurch branches only (3 workingdays delivery).




* Section No. G611
Wide Lock Stile
1.998 kg/m, per 421




* Section No. 0757B
Door Handle
250 mm long




* Section No. G251
Narrow Vision Rail
1.4 kg/m, per 259




Section No. 32550 CHC
Double Glazing Door Bead
0.196kg/m, per 88



Section No. 5620
Infill Vision Rail
0.484 kg/m, per 157





* Section No. G419 Wide Hinge Stile
1.937 kg/m, per 371




* Section No. 6136 Door Stop
0.150 kg/m, per 72


* Section No. 9436
2.478 kg/m, per 290



* Section No. 0732
Threshold
1.154kg/m, per 181.29




* Section No. 0749
Threshold
1.171kg/m, per 231.78




* Section No. 0750
Threshold
2.458kg/m, per 381.00


* Stock in mill finish & anodised satin. Subject to stock availability at time of order.
32550 Stock in Christchurch branches only (3 working days delivery).




* Section No. G058 Mullion
1.057 kg/m, per 511




* Section No. G083 Transom
0.927 kg/m, per 422




* Section No. G059 Heavy Duty Mullion
1.398 kg/m, per 505



* Section No. 7754 Sloping bead
0.267 kg/m, per 150




* Section No. 8136 Square bead
0.281 kg/m, per 157




* Section No. 4895 Sill flashing
0.595 kg/m, per 278



* Section No. 5706 Pocket infill
0.126 kg/m, per 77




Section No. 31366 Sill Tray
0.582 kg/m, per 243.24




Section No. 31857
Double Glazing Bead 75mm
0.288kg/m, per 154.83

* Stock in mill finish & anodised satin. Subject to stock availability at time of order.


Not to Scale




* Section No. 9698
Shallow Glazing Pocket
0.65kg/m, per 254




* Section No. G062
Standard Glazing Pocket
0.579kg/m, per 281




* Section No. 3882 Corner Post
1.569 kg/m, per 563




Section No. 33057 WEL
Roof Glazing Cap
0.731kg/m, per 340




* Section No. 5581 Plain infill
0.429 kg/m, per 182




Section No. 6726
1.066 kg/m, per 387



Section No. 8706 Glazing Bar
1.286 kg/m, per 463




Section No. 33056 WEL
Roof Glazing Bar
0.475kg/m, per 223




* Section No. 7771
1.532 kg/m, per 240


* Stock in mill finish & anodised satin. Subject to stock availability at time of order.
SFR No.33057, 33056 Stock in Wellington branches only (1-2 working day delivery).




* Section No. G060 Transom
1.295 kg/m, per 514




Section No. G252 Heavy duty mullion
2.828 kg/m, per 577




* Section No. 4969 Sill flashing
0.703 kg/m, per 329



* Section No. 7757 Sloping bead
0.384 kg/m, per 199



* Section No. 30299 Square Bead
0.399 kg/m, per 212.14




* Section No. G061 Mullion
1.531 kg/m, per 605




* Section No. 5706 Pocket infill
0.122 kg/m, per 75

* Stock in mill finish & anodised satin. Subject to stock availability at time of order.


Not to Scale




* Section No. 9698
Shallow Glazing Pocket
0.65 kg/m, per 254




* Section No. G062
Standard Glazing Pocket
0.579 kg/m, per 281




* Section No. 9944 Corner Post
2.596 kg/m, per 749




* Section No. 5581 Plain infill
0.429 kg/m, per 182



Section No. 9699 Stiffener
2.914 kg/m, per 311




Section No. 30771 CHC
Double Glazing Infill
0.511kg/m, per 247.49




Section No. 30772 CHC
Double Glazing Bead
0.380kg/m, per 202.94

* Stock in mill finish & anodised satin. Subject to stock availability at time of order.
SFR No.30771, 30772 Stock in Christchurch branches only (3 working day delivery).


Not to Scale




* Section No. E770,
0.347 kg/m per 168




* Section No. E771,
0.159 kg/m per 90




* Section No. E772,
0.284 kg/m per 140




* Section No. 31427
Glazing Channel
0.693 kg/m, per 271



* Section No. G673,
0.613 kg/m per 235




* Section No. G674,
0.247 kg/m per 124




* Section No. G675,
0.448 kg/m per 178

* Above sections use backing rubber #466 or #9102




Section No. 5620 Infill Vision Rail
0.484 kg/m, per 157


* Section No. 5653 Square Bead
0.166 kg/m, per 98




* Section No. J349
Glazing Frame
0.466 kg/m per 216




* Section No. J350
Square Bead
0.193 kg/m per 117



Section No. 30503
H-Jointer
0.509kg/m, per 190.74



Section No. 30504
CNP
0.303kg/m, per 114.91



Section No. 30505
Corner Jointer
0.764kg/m, per 214.96 Ext











* Stock in mill finish & anodised satin. Subject to stock availability at time of order.

Not to Scale



Stocked Sections

Window Support Bar








Stocked Sections

FLS(Flashing)

SECTION No.	XX.00 mm	MASS KG/M	OUTSIDE PERIM
35361	15.00	0.298	194.38
35363	25.00	0.332	215.09
35365	35.00	0.379	235.87
35300	45.00	0.429	256.70
35302	55.00	0.464	275.46
35367	65.00	0.530	290.81
35369	75.00	0.578	319.01

Sill Pans


SECTION No.	XX.00 mm	MASS KG/M	OUTSIDE PERIM
35303	66.00	0.495	251.13
35432	105.30	0.694	329.92






Stocked Sections


(TPH) Tophats



Section No. G481,
0.881 kg/m, per 264



* Section No. 0582,
0.322 kg/m, per 152




Section No. 2184,
0.517 kg/m, per 221




Stocked Sections

LVR (Louvre)




Section No. G452
Louvre
0.436kg/m, per 211

(Fits around channel die 2114, 44.5x25x3mm)




Section No. ZL10515
0.785kg/m, per 237

Note: may be variation in screw pipe size




Section No. RB440
1.180kg/m, per 249


Note: Other sizes are made to order



Section No. RB452
0.594kg/m, per 134



Section No. ZL11133
1.795kg/m, per 310




Section No. ZL9344
5.086kg/m, per 611




Stocked Sections

Spandrel



Section No. 60-9296
Large Spandrel
1.496 kg/m, per 555.30






Section No. 1913
Spandrel
1.673 kg/m, per 554




Stocked Sections

(SGN) Sign Extrusions




Stocked Sections


Tracks / Guides



Section No. 31101
Side Rail 50mm Roller Shutter
0.598 kg/m, per 277.71



Section No. 31102
Side Rail 80mm Roller Shutter
0.898 kg/m, per 349.59




* Section No. UA3703
Door Track
1.166 kg/m, per 177




Stocked Sections

Security Sections





* Section No. Z785
Security Door Frame
0.748 kg/m, per 240




Section No. 6868K
Stake Angle


* Section No. J007
Security Door
Buildout Frame
1.065 kg/m, per 324




* Section No. 31238 (Mill Run only)
Round Edge
Security Door Frame
0.741kg/m, per 228.00




Section No. F9758
Security Door Wide Stand out
1.153kg/m, per 369




Section No. RB030
Stake Angle
1.314 kg/m, per 236




* Section No. RB030
91 mm S Security Door Wide Stand out
1.11 kg/m, per 326




* Section No. 30972
Sliding Door Channel
0.936 kg/m, per 296




DR234 SL Spring Loaded Security Door
Carriage
Material Zinc Seal
Standard Roller: DR 35
Max Load: 25kg



* Section No. 30971
Sliding Door Channel
0.483 kg/m, per 218




* Section No. 6136
Door Stop
0.141 kg/m, per 72




* Section No. F9733
Sliding Door Track
0.464kg/m, per 215

* Stock in mill finish, powdercoated arctic white, off white, anotec mid bronze.
Subject to stock availability at time of order.


Not to Scale





* Section No. F9299
Window Frame Jointer
0.28kg/m, per 143




* Section No. 5663
Security Window Frame
0.351kg/m, per 72




* Section No. X574
Security Door Jointer
0.249 kg/m, per 126




* Section No. 6488
Security Jointer Groove
0.260 kg/m, per 172



* Section No. G253
Heavy Duty Window Frame
0.50 kg/m, per 147



* Section No. 6179
Security Window Frame with Leg
0.450 kg/m, per 195



Section No. X124G
Stake Angle


* Stock in mill finish, powdercoated, anodised. Subject to stock availability at time of order.

Not to Scale




Stocked Sections


Insect and Security Sections




* Section No. 9775
Flyscreen Door Frame
5m Lengths
0.494 kg/m per 150




* Section No. J031
Bottom Flyscreen Window
Channel with Leg
0.192 kg/m per 100




* Section No. J032
Flyscreen Window Channel
with Leg
0.232 kg/m per 94




* Section No. J058
Flyscreen Window Frame
5m Lengths
0.232 kg/m per 95




* Section No. X075
Top Flyscreen Window
Channel
0.162 kg/m per 97




* Section No. X076
Bottom Flyscreen Window
Channel
0.138 kg/m per 64




Section No. N02493
Window Channel
0.173 kg/m per 92




* Section No. 31018
Bottom Flyscreen Window
Channel
0.139 kg/m per 82




* Section No. 31017
Top Flyscreen Window
Channel
0.170 kg/m per 63




Section No. J688E
Stake angle
for 9775 above




Section No. X429E
Stake angle
for J058 above




Section No. DR224
Flydoor Carriage
Material: Engineere Plastic
Standard Roller: DR25
Max Load: 15kg



* Section No. J030, Push Plate
0.496 kg/m per 199




* Section No. 30973
Sliding Door Track
0.421 kg/m, per 210




* Section No. 7675
Push Plate
0.90 kg/m per 311

* Stock in mill finish, powdercoated arcticwhite, off white, anotec mid bronze.
Subject to stock availability at time of order.

Not to Scale




* Section No. 32605
 Flyscreen Door Vision Rail
 0.540 kg/m, per 262



* Section No. UA3703
 Door Track
 1.166 kg/m, per 177

* Price availability
 subject to time
 of order

007 Standard Grilles — 69 x 83 diamond



Size	Finish
750 x 2000 mm	Mill finish
	Powdercoated
	Anodised Bronze
920 x 2000 mm	Matt Natural Anodised
	Mill finish
	Powdercoated
1250 x 2000 mm	Anodised Bronze
	Matt Natural Anodised
	Mill finish
750 x 4000 mm	Powdercoated
	Anodised Bronze
	Matt Natural Anodised
920 x 4000 mm	Mill finish
	Powdercoated
1250 x 4000 mm	Mill finish
	Powdercoated

Fibreglass Mesh


	Size
30 metre rolls	810mm
	910mm
	1830mm

Aluminium Mesh


	Size
30 metre rolls	810mm
	910mm
	1220mm

Components


DR224	Flyscreen Door Carriage to Fit 9775
DR234	Security Door Carriage to Fit Z785




* Section No. N923
Robe Bottom Track
0.370kg/m, per 230




* Section No. N924
Wardrobe Head
0.745kg/m, per 410




* Section No. Z439
Wardrobe Top & Bottom Sash
0.285kg/m, per 106




* Section No. Z447
Wardrobe Grip Stile
0.282kg/m, per 165




* Section No. 9250
Wardrobe Single Head Guide
0.431kg/m, per 247



* Section No. 9251
Wardrobe Single Track
0.217kg/m, per 136



* Section No. Z440
32mm Vision Rail
0.314kg/m, per 178




Section No. DR140
Adjustable Wardrobe Carriage
Material: Zinc Seal
Standard Roller: DR 35
Max Load: 25kg

* Stock in mill finish, powdercoated arctic white, off-white, anodised satin.


Components

- 40226 Wardrobe Bumper Clear
- DS 509 Left - Right Hand Plastic Guides
- DR 140 Door Roller
- H/D08/WSL 800 series double ends caps off white
- WR633506 Wardrobe Bumper off white


Not to Scale




36148 40mm Sash
(Requires 36150 Bead)
Mill, 5Mtr




RB-251/34261
31mm Sash
(35mm), Mill, 5Mtr




RB-252/34262
27mm Sash
(31 mm), Mill, 5Mtr




5645
28mm Centred Adaptor
Mill, 5Mtr




RB-233
Centred Adaptor
Mill, 5Mtr




RB-237
Offset Adaptor
Mill, 5Mtr




AE 5434
Vista Bead




RB-235
Hook Bead-Vantage
Mill, 5Mtr




RB-236
Barker Bead
Mill, 5Mtr




RB-234
Fletcher Bead
Mill, 5Mtr




RB-246 Stepped Bead
2-First New
Mill, 5Mtr




RB-247 Stepped Bead
3-Homestead
Mill, 5Mtr




RB-248 Stepped Bead
4-Villa
Mill, 5Mtr



36150 DG Bead
Mill, 5Mtr
Use with 36148




RB-265 Universal Bead 2
Can be machined to fit
other suites




RB-251/34261
31mm Sash
(35mm) Mill, 5Mtr

Use to replace Sashes on 35mm Suite




RB-252/34262
27mm Sash
(31mm) Mill, 5Mtr

Use to replace Sashes on 30mm Suite




RB-237
Offset Adaptor, Mill, 5Mtr
(For single glaze pockets)

Use in Ranchslider or casement doors with single glaze pocket




36148 40mm Sash
(Requires 36150 Bead)
Mill, 5Mtr

Use to replace Sashes on 40mm Suite



5645
28mm Centred Adaptor
Mill, 5Mtr

Centred adaptor option for Ranchslider & casement doors



RB-233
Centred Adaptor
Mill, 5Mtr


Centred adaptor option for Ranchslider & casement doors

Stocked Sections (5005 & TRP) Sheet and Treadplate

Sheet Stock Sizes	Alloy Temper	Kgs/sheet	Min Bend Radius (mm)
0.7mm 1200X2400	5005 H34	5.5	0
0.9mm 900X2400	5005 H34	5.27	
0.9mm 1200X2400	5005 H34	7.02	0
1.2mm 900X2340	5052 H32	6.85	
1.2mm 1200X2400	5005 H34	9.4	0
1.6mm 1200X2400	5005 H34	12.48	
2.0mm 1200X2400	5005 H34	15.5	1.0
2.5mm 1200X2400	5005H32	19.5	
3.0mm 1200X2400	5005 H34	23.4	3.0
4.0mm 1200X2400	5005H32	31.22	
5.0mm 1200X2400	5005 H34	39.0	6.5

Treadplate	Alloy Temper	Kgs/sheet	Min Bend Radius (mm)
2.0mm 1200X2400	5251H34	17.30	4.00
3.0mm 1200X2400	5251 H32	25.60	6.00
4.0mm 1200X2400	5251 H32	34.80	8.00

Note: the bend radius quoted are recommended Minimums only. Sizes offered are subject to availability at time of order.
 sheet subject to availability at time of order.



SURFACE FINISH EQUAL ANGLES

Available ex stock

Anodised Bronze (once sold, to be de-stock)

	Width mm	Thickness mm
6421	12	1.6
G466	16	1.6
5512	20	1.6
5973	25	3
5975	40	1.6

Powder coated Anotec Mid Bronze

	Width mm	Thickness mm
6421	12	1.6
G466	16	1.6
5512	20	1.6
5510	25	1.6
5973	25	3
5975	40	1.6

Anodised Satin

	Width mm	Thickness mm
6421	12	1.6
G466	16	1.6
5512	20	1.6
5972	20	3
5510	25	1.6
5973	25	3
F9215	30	3
K014	32	1.5
5975	40	1.6
6484	50	1.6
5977	50	3

Powder coated Matt Black

	Width mm	Thickness mm
6421	12	1.6
5512	20	1.6
5973	25	3.0
G466	16	1.6

Powder coated Silver Pearl

	Width mm	Thickness mm
5510	25	1.6
K014	32	1.5

Powder coated Off White


	Width mm	Thickness mm
6421	12	1.6
5512	20	1.6
5510	25	1.6
5973	25	3

Powder coated Titania

	Width mm	Thickness mm
5510	25	1.6

Powder coated Arctic White

	Width mm	Thickness mm
6421	12	1.6
G466	16	1.6
5512	20	1.6
5510	25	1.6
5973	25	3
5975	40	1.6



SURFACE FINISH UNEQUAL ANGLES

Available ex stock

Anodised Bronze (once sold, to be de-stock)

	Width mm	Width mm	Thickness mm
5514	20	12	1.6
9325	25	12	1.6
5511	25	20	1.6
9328	32	20	1.5
9329	40	20	1.6
8517	40	25	3
5323	50	25	3

Anodised Satin

	Width mm	Width mm	Thickness mm
5514	20	12	1.6
5970	20	12	3
9325	25	12	1.6
5511	25	20	1.6
9328	32	20	1.5
9329	40	20	1.6
6076	40	20	3
5509	40	25	1.6
8517	40	25	3
J456	50	20	1.6
9332	50	25	1.6
5323	50	25	3
30193	75	25	3

Powder coated Off White

	Width mm	Width mm	Thickness mm
9329	40	20	1.6
8517	40	25	3

Powder coated Arctic White

	Width mm	Width mm	Thickness mm
5514	20	12	1.6
9325	25	12	1.6
5511	25	20	1.6
9328	32	20	1.5
9329	40	20	1.6
5509	40	25	1.6
8517	40	25	3
9332	50	25	1.6
5323	50	25	3

Powder coated Anotec Mid Bronze

	Width mm	Width mm	Thickness mm
5514	20	12	1.6
9325	25	12	1.6
5511	25	20	1.6
9328	32	20	1.5
9329	40	20	1.6
5509	40	25	1.6
8517	40	25	3
9332	50	25	1.6
5323	50	25	3

Powder coated Matt Black

	Width mm	Width mm	Thickness mm
9329	40	20	1.6
5509	40	25	1.6
J456	50	20	1.6
9332	50	25	1.5


Powder coated Silver Pearl

	Width mm	Width mm	Thickness mm
9329	40	20	1.6
5509	40	25	1.6

Powder coated Titania

	Width mm	Width mm	Thickness mm
9329	40	20	1.6
J456	50	20	1.6

* stock in Wellington only



SURFACE FINISH

Channel, Round tube
Available ex stock

CHANNEL

Anodised Bronze (once sold, to be de-stock)

	Width mm	Leg Height mm	Thickness mm
5979	16	16	1.6
9335	25	25	1.6

CHANNEL

Anodised Satin

	Width mm	Leg Height mm	Thickness mm	
371	12.7	12.7	2.54	
5979	16	16	1.6	
G862	18	17.9	1.9	2.9mts
5980	20	20	3	
9335	25	25	1.6	
4575	25	25	3	
6476	25	40	3	
4087	25	50	3	
J088	32	25	3	
F9354	40	12	3	
6452	40	25	3	

CHANNEL

Powder coated Off White

	Width mm	Leg Height mm	Thickness mm
5979	16	16	1.6
9335	25	25	1.6

CHANNEL

Powder coated Arctic White

	Width mm	Leg Height mm	Thickness mm
5979	16	16	1.6
9335	25	25	1.6

CHANNEL

Powder coated Anotec Mid Bronze

	Width mm	Leg Height mm	Thickness mm
5979	16	16	1.6
9335	25	25	1.6

CHANNEL


Powder coated Matt Black

	Width mm	Leg Height mm	Thickness mm
5979	16	16	1.6

CHANNEL

Bright Polished Anodised

	Width mm	Leg Height mm	Thickness mm	
YLJ02571	15	18	1.6	2.5mts
OAC1056	17.6	18.0	1.9	3/2.5/2.1mts
YLJ02511	18	25	2.0	3mts



ROUND TUBE

Anodised Satin

	Diameter mm	Wall Thickness mm
TU8160	25.4	1.42
TU8170	28.58	1.42

ROUND TUBE

Powder coated Arctic White

	Diameter mm	Wall Thickness mm
TU8055	31.75	1.22
TU8180	31.75	1.42

ROUND TUBE

Powder coated Matt Black

	Diameter mm	Wall Thickness mm
TU8240	20	1.6

* stock in Wellington only

SURFACE FINISH

Awning, T-Bar, Flat-Bar, Square Bar, C/room Channel, Box, Zed, Mouldings, Tophat, Threshold Available ex stock

AWNING

Anodised Satin &
Powder coated Arctic White & Matt Black

N03490, 6595




RB-069	P/cTitania	51mm ID	25mm
33144	P/cTitania	Sliding Track	
7360	P/cTitania	50mm Cove	
F4266	P/cTitania	75mm Cove	

T-BAR

Anodised Satin

	Width m m	Width m m	Thickness m m	
4870	25	25	3	6 metres



COOL ROOM ANGLE

Powder coated Titania

		Int Angle	Leg Length
RB-041	P/cTitania		38mm
RB-042	P/cTitania	Ext Angle	38mm

FLAT-BAR

Anodised Satin

	Width m m	Thickness m m	
5991	16	3	4 Metres
5992	20	3	
5993	25	3	
F1504	25	10	
6077	40	3	
5994	50	3	
5995	100	3	



BOX

Anodised Satin

	Width m m	Thickness m m	
6614	25	1.6	Sq Edge
6947	30	3	Sq Edge
J309	50	1.6	
5917	50	3	



SQUARE BAR

Anodised Satin

	Width
SQ0064	6.3mm



ZED

Powder coated Titania

	Leg Length m m	Centre m m	Leg Length m m	Thickness m m
N974	18	17	18	1.4
Z980	20	25	20	1.6



COOL ROOM CHANNEL

Powder coated Titania

		Internal Dia	Leg Length	
8570	P/cTitania	51mm ID	30mm	6 metres
RB-043	P/cTitania	51mm ID	30mm	
33970	P/cTitania	52mm ID	20mm	
K747	P/cTitania	75mm ID	38mm	
Z381	P/cTitania	89mm ID	25mm	
Z383	P/cTitania	114mm ID	25mm	
Z382	P/cTitania	165mm ID	25mm	
E210	P/cTitania	150mm ID	38.5mm	
K748	P/cTitania	100mm ID	38mm	
31348	P/cTitania	50mm ID	45mmx30mm	
31347	P/cTitania	76mm ID	45mmx30mm	
31346	P/cTitania	100mm ID	45mmx30mm	



MOULDINGS

Anodised Satin

0360	Stair Nosing Anod Satin
------	-------------------------

THRESHOLD

Anodised Satin

	Width m m
0732	75
0749	100
0750	170

