





Section No	A	B	T1	T2	R1	R2	Mass kg/m	OUTSIDE PERM
1679	9.53	12.70	2.36	1.57			0.149	65.10
J168	10.00	10.00	1.60	1.60			0.116	56.80
0976	10.50	10.50	1.40	1.40			0.108	60.00
5978	12.00	12.00	1.60	1.60			0.142	68.80
9747	12.00	20.00	2.50	2.50			0.317	99.00
5726	12.50	18.00	1.50	1.50			0.197	93.00
0371	12.70	12.70	2.54	2.54			0.226	71.10
E539	13.80	15.80	1.60	1.60			0.183	87.60
0765	14.15	11.89	1.52	1.52			0.143	72.80
5590	14.35	15.00	1.50	1.50			0.168	85.70
0539	15.88	7.92	1.63	1.63			0.126	60.10
2563	15.88	12.70	1.98	1.57			0.177	78.60
5979	16.00	16.00	1.60	1.60			0.194	92.80
J424	16.00	16.00	3.00	3.00			0.341	90.00
1465	17.45	31.75	2.36	2.36			0.486	157.20
0377	17.50	12.00	3.00	3.00			0.288	77.00
34408	17.60	18.40	1.80	1.80			0.248	105.20
34793	17.60	18.40	1.80	1.80	1.00		0.246	103.83
J808	19.50	30.00	2.00	2.00	2.00		0.399	151.40
6489	20.00	16.00	1.60	1.60			0.211	100.00
9482	20.00	20.00	1.60	1.60			0.245	116.00
5980	20.00	20.00	3.00	3.00			0.437	114.00
6209	20.00	25.00	2.50	2.50			0.439	135.00
Z566	20.00	45.00	2.50	2.50			0.711	215.00
0382	20.65	19.84	1.98	1.98	1.59		0.305	115.30
35472	21.60	20.00	1.60	1.60	0.25		0.253	119.79
9069	22.00	22.00	3.00	3.00			0.486	126.00
3470	22.23	12.70	1.57	1.57			0.19	92.10
0566	22.23	22.23	3.18	3.18	1.57		0.521	125.70
6423	25.00	12.00	3.00	3.00			0.348	92.00
N733	25.00	20.00	1.50	1.50			0.252	127.00
6276	25.00	20.00	2.50	2.50			0.405	125.00
5723	25.00	25.00	1.50	1.50			0.291	147.00
9335	25.00	25.00	1.60	1.60			0.310	146.80
4575	25.00	25.00	3.00	3.00			0.559	144.00
6476	25.00	40.00	3.00	3.00			0.801	204.00
4087	25.00	50.00	3.00	3.00			0.967	244.00
0538	25.40	25.40	3.18	3.18	1.57		0.602	144.70
6843	25.50	50.00	2.50	2.50	1.60		0.816	241.60
1770	28.58	6.35	1.57	1.57			0.161	79.40
32099	30.00	12.00	1.50	1.50			0.207	105.00
4498	31.50	25.00	3.00	3.00			0.611	157.00
J088	32.00	25.00	3.00	3.00			0.618	158.00
8953	32.00	32.00	3.00	3.00			0.729	186.00
G210	36.00	36.00	2.50	2.50			0.698	211.00
4576*	38.00	19.00	3.00	3.00			0.567	146.00
0651	38.10	12.70	3.18	3.18			0.491	120.60

\*Some close tolerances apply



Section No	A	B	T1	T2	R1	R2	Mass kg/m	OUTSIDE PERM
0564	38.10	19.05	3.18	3.18	3.18		0.611	143.30
J044	38.60	25.00	1.40	1.40			0.313	147.70
33465	40.00	12.00	3.00	3.00			0.472	122.00
9677	40.00	20.00	1.60	1.60			0.332	156.80
9752	40.00	20.00	2.00	2.00			0.410	156.00
5982	40.00	20.00	3.00	3.00			0.599	154.00
6452	40.00	25.00	3.00	3.00			0.680	174.00
J242	40.00	40.00	3.00	3.00			0.927	234.00
7913	42.00	25.40	1.40	1.40			0.340	182.80
31576	42.00	60.00	3.00	3.00			1.268	318.00
36089	43.00	43.00	3.00	3.00	2.00		1.004	249.50
30067	44.45	25.40	3.18	3.18	4.57		0.790	180.22
2114	44.50	25.00	3.00	3.00			0.717	183.00
8521	50.00	16.00	3.00	3.00			0.616	158.00
5715	50.00	25.00	2.50	2.50			0.641	195.00
5983	50.00	25.00	3.00	3.00			0.761	194.00
5984	50.00	50.00	3.00	3.00			1.166	294.00
1183	50.80	25.40	1.57	1.57			0.417	200.10
0287	50.80	25.40	3.18	3.18	1.57		0.820	195.50
0500	50.80	34.93	3.18	3.18	1.57		0.984	233.60
8216	53.00	25.00	1.50	1.50			0.405	203.00
6330	54.00	20.00	1.50	1.50			0.369	185.00
0504	57.15	31.75	3.96	3.96	5.08		1.235	229.00
3911	57.15	31.75	4.75	4.75	3.18		1.437	229.10
G743	60.00	12.00	3.00	3.00			0.634	161.48
6128	60.00	25.00	3.00	3.00			0.842	214.00
35320	60.00	32.00	2.00	2.00			0.650	244.00
34080	60.00	32.00	2.00	2.00	5.00	3.00	0.629	235.85
J243	60.00	32.00	3.00	3.00			0.960	242.00
6945	60.00	32.00	4.00	4.00	4.00		1.257	238.20
32884	65.00	27.00	3.00	3.00			0.919	232.00
35270	65.50	25.00	1.50	1.50	0.40		0.456	226.37
3625	69.85	31.75	3.96	3.96			1.346	258.80
30487	75.00	25.00	3.00	3.00			0.967	244.00
6207	76.00	33.00	6.00	8.00			2.397	272.00
4578	76.00	51.00	5.00	5.00			2.268	346.00
0288	76.20	38.10	4.75	4.75	7.62		1.900	288.80
1226	76.20	38.10	6.35	7.92			2.668	288.73
0289	76.20	38.10	6.35	7.92	7.62		2.738	285.60
6983	80.00	25.00	3.00	3.00			1.008	254.00
J458	80.00	40.00	3.00	3.00			1.252	314.00
Z608	80.00	40.00	4.00	4.00			1.648	312.00
4073	82.55	31.75	3.18	3.18			1.199	285.70
X685*	84.20	20.00	1.60	1.60			0.525	245.20
0290	88.90	38.10	6.35	7.92	7.92		2.955	310.70
34400	92.07	25.40	1.50	2.50	2.50	1.27	0.803	276.22
7792	92.30	25.00	3.00	1.80	2.00		0.967	274.48

\*Some close tolerances apply



Section No	A	B	T1	T2	R1	R2	Mass kg/m	OUTSIDE PERM
X684*	92.75	15.00	1.60	1.60			0.518	242.30
8716	100.00	25.00	3.00	3.00			1.166	294.00
6374	100.00	40.00	3.00	3.00			1.409	354.00
6944	100.00	45.00	4.80	4.80	3.00		2.347	352.40
J089	100.00	50.00	3.00	3.00			1.577	394.00
6982	100.00	50.00	6.00	6.00	0.80		3.046	387.00
33279	100.00	50.00	8.00	4.00			4.008	380.57
34143	100.00	70.00	4.00	4.00	10.00	6.00	2.403	451.40
1605	101.60	25.40	3.18	3.18			1.253	298.40
1340	101.60	50.80	4.78	4.78			2.499	369.80
0291	101.60	50.80	6.35	7.92	9.14		3.740	385.90
1442	114.30	44.45	3.18	3.18			1.690	400.00
34401	117.47	25.40	1.50	2.50	2.50	1.27	0.975	327.02
7793	118.00	25.00	3.00	1.80	2.00		1.176	325.88
7059	125.00	60.00	6.00	6.00	6.00		3.816	454.00
0921	127.00	25.40	3.96	3.96	1.57		1.819	346.30
K430	127.00	63.50	6.35	9.52	10.66		5.267	486.10
8596	135.00	55.00	3.00	3.00	1.00		1.944	483.14
4760	150.00	75.00	5.00	5.00			3.915	590.00
1652	152.40	63.50	6.35	7.92	10.67		5.193	536.90
1018	152.40	76.20	6.35	9.53	12.19		6.380	586.40
32963	155.00	15.00	1.60	1.60	0.50		0.788	365.60
33270	160.00	60.00	10.00	10.00	10.00		7.162	531.42
35327	168.27	25.00	1.50	1.50	1.25	1.25	1.314	426.49
7060	177.80	76.20	6.35	11.10	12.20		7.408	637.20
2776	203.20	63.50	4.75	4.75			4.113	650.90

\*Some close tolerances apply